REPORT DOCUMENTATION PAGE

Form Approved OMB NO. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggessitions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any oenalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE		[3.	DATES COVERED (From - To)	
13-11-2015	Final Report	15-Aug-2014 - 14-Aug-2015			
4. TITLE AND SUBTITLE		5a. C0	ONTRA	CT NUMBER	
Final Report: Nanoscale Optical Imagi	ng and Spectroscopy from	W911	W911NF-14-1-0463		
Visible to Mid-infrared		5b. GRANT NUMBER			
		5c. PR	OGRA	M ELEMENT NUMBER	
		61110	03		
6. AUTHORS		5d. PR	OJECT	NUMBER	
Wounjhang Park, Wei Zhang, Juliet Gopinath	h, Jennifer Cha and Prashant				
Nagpal		5e. TASK NUMBER			
		5f. W0	ORK UN	NIT NUMBER	
7. PERFORMING ORGANIZATION NAME	ES AND ADDRESSES			RFORMING ORGANIZATION REPORT	
University of Colorado - Boulder			NUM	BEK	
3100 Marine Street, Room 481					
572 UCB Boulder, CO 8030	03 -1058				
9. SPONSORING/MONITORING AGENCY			10 SF	PONSOR/MONITOR'S ACRONYM(S)	
(ES)	(0) 111 12 13 2 13 2 3		ARO	` '	
U.S. Army Research Office			11. SP	ONSOR/MONITOR'S REPORT	
P.O. Box 12211			NUMB	BER(S)	
Research Triangle Park, NC 27709-2211			65119	-MS-RIP.1	
12. DISTRIBUTION AVAILIBILITY STATE	EMENT				

Approved for Public Release; Distribution Unlimited

13. SUPPLEMENTARY NOTES

The views, opinions and/or findings contained in this report are those of the author(s) and should not contrued as an official Department of the Army position, policy or decision, unless so designated by other documentation.

14. ABSTRACT

The PIs completed the acquisition of a nanoscale optical imaging and spectroscopy system with extremely broad spectral capability spanning the ultraviolet to the near-infrared. The equipment provides new capabilities of simultaneously obtaining high-resolution images and conducting spectroscopy on a wide variety of nanoscale or molecular materials. By providing far-field characterization of nanoscale materials, it also complements the near-field scanning optical microscope currently available in the PI's lab.

15. SUBJECT TERMS

Spectroscopy, nanomaterials, nanophotonics

16. SECURITY CLASSIFICATION OF:		17. 22		19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF PAGES	Wounjhang Park
UU	UU	υυ	UU		19b. TELEPHONE NUMBER 303-735-3601

Report Title

Final Report: Nanoscale Optical Imaging and Spectroscopy from Visible to Mid-infrared

ABSTRACT

The PIs completed the acquisition of a nanoscale optical imaging and spectroscopy system with extremely broad spectral capability spanning the ultraviolet to the near-infrared. The equipment provides new capabilities of simultaneously obtaining high-resolution images and conducting spectroscopy on a wide variety of nanoscale or molecular materials. By providing far-field characterization of nanoscale materials, it also complements the near-field scanning optical microscope currently available in the PI's lab.

This equipment will begin making major impacts on at least three current DoD programs being conducted by the PIs: Self-Assembly of Reconfigurable By-Design Optical Materials with Molecular-Level Control (ARO W911NF-12-1-0581), Phase and Frequency Control of Laser Arrays for Pulse Synthesis (AFSOR FA9550-11-1-0026), Hierarchical Organization of Multicomponent Nanocrystals for Photodetectors through Tunable Biomolecular Interactions (ONR N000141310283).

Furthermore, an outstanding optics and materials science program exists at the University of Colorado Boulder with more than 70 faculty, many of whom have active research programs funded by the DoD and other sponsors. By providing a critical capability with wide applications, this equipment is expected to make a far-reaching and lasting impact on research on campus.

Enter List of papers submitted or published that acknowledge ARO support from the start of the project to the date of this printing. List the papers, including journal references, in the following categories:

(a) Papers published in peer-reviewed journals (N/A for none)

Received Paper

TOTAL:

Number of Papers published in peer-reviewed journals:

(b) Papers published in non-peer-reviewed journals (N/A for none)

Received Paper

TOTAL:

Number of Papers published in non peer-reviewed journals:

(c) Presentations

Number of Presentations: 0.00			
	Non Peer-Reviewed Conference Proceeding publications (other than abstracts):		
Received	<u>Paper</u>		
TOTAL:			
Number of Non	Peer-Reviewed Conference Proceeding publications (other than abstracts):		
	Peer-Reviewed Conference Proceeding publications (other than abstracts):		
Received	<u>Paper</u>		
TOTAL:			
Number of Peer	-Reviewed Conference Proceeding publications (other than abstracts):		
	(d) Manuscripts		
Received	<u>Paper</u>		
TOTAL:			

Number of Ma	nuscripts:			
		Books		
Received	Book			
TOTAL:				
IVIAL.				
December	D. J. Obantan			
Received	Book Chapter			
TOTAL:				
		Patanta Submitted		
		Patents Submitted		
		Patents Awarded		
	·	Awards		
Prashant Nagpa	rk, N Rex Sheppard Faculty Fe al, W M Keck Foundation Rese al, Dean's Faculty Fellowship	earch Award		
Tradium T. Wor	ii, Douis i douis, i ono non-p	~		
NAME		Graduate Students PERCENT_SUPPORTED		
	ıuivalent:	FEROLINI_GOLI ORTED		
Total N				
		Names of Post Doctorat	tes	
NAME	Ē	PERCENT_SUPPORTED		
FTE Eq Total N	uivalent: umber:			

Names of Faculty Supported

NAME	PERCENT_SUPPORTED	National Academy Member
Wounjhang Park	0.00	
Jennifer Cha	0.00	
Juliet Gopinath	0.00	
Wei Zhang	0.00	
Prashant Nagpal	0.00	
FTE Equivalent:	0.00	
Total Number:	5	

1 Otal Number: 5			
Names of Under Graduate students supported			
NAME PERCENT_SUPPORTED			
FTE Equivalent:			
Total Number:			
Student Metrics This section only applies to graduating undergraduates supported by this agreement in this reporting period			
The number of undergraduates funded by this agreement who graduated during this period: 0.00			
The number of undergraduates funded by this agreement who graduated during this period with a degree in science, mathematics, engineering, or technology fields: 0.00			
The number of undergraduates funded by your agreement who graduated during this period and will continue to pursue a graduate or Ph.D. degree in science, mathematics, engineering, or technology fields: 0.00			
Number of graduating undergraduates who achieved a 3.5 GPA to 4.0 (4.0 max scale): 0.00			
Number of graduating undergraduates funded by a DoD funded Center of Excellence grant for Education, Research and Engineering: 0.00			
The number of undergraduates funded by your agreement who graduated during this period and intend to work for the Department of Defense 0.00			
The number of undergraduates funded by your agreement who graduated during this period and will receive scholarships or fellowships for further studies in science, mathematics, engineering or technology fields: 0.00			
Names of Personnel receiving masters degrees			
<u>NAME</u>			
Total Number:			
Names of personnel receiving PHDs			
<u>NAME</u>			
Total Number:			
Names of other research staff			

NANAE	DEDCENT CURRORTER	
<u>NAME</u>	PERCENT_SUPPORTED	
FTE Equivalent:		
Total Number:		

	Sub Contractors (DD882)	
	Inventions (DD882)	
See attachment.	Scientific Progress	
occ attachment.	Technology Transfer	

Final Report

Nanoscale optical imaging and spectroscopy from visible to mid-infrared

Prepared by:

Wounjhang Park, Jennifer Cha, Juliet Gopinath, Prashant Nagpal and Wei Zhang University of Colorado Boulder

Prepared for:

Dr. John Prater Army Research Office

*Project Period Covered:*Aug. 15, 2014 ~ Aug. 14, 2015

Report Date: Nov. 13, 2015

Table of Contents

1. Acquisition of Equipment	2
2. Preliminary Results from the Newly Acquired Equipment	3
3. Impact on the Research and Education Programs	5
4. Bibliography	6
List of Figures	
FIGURE 1. PHOTOGRAPHS OF FULLY INSTALLED NANOSCALE OPTICAL IMAGING AND SPECTROSCOPY SYST	гем. (А)
SHOWS MICROSCOPE WITH ENCLOSURE (LEFT) AND SPECTROMETER (RIGHT). AT THE END OF THE	
SPECTROMETER, THREE DETECTORS (TWO CCD ARRAYS AND A PMT) ARE INSTALLED. (B) SHOWS TO	HE TWO
LASERS: AR ION LASER AND 980 NM DIODE LASER. 3	
FIGURE 2. (LEFT) SEM IMAGE OF A 5UM SIZE HOLE IN A SILVER FILM AND TWO UPCONVERSION NANOCLU	USTERS IN
IT, MARKED BY YELLOW CIRCLES. (MIDDLE) PHOTOLUMINESCENCE MAP OF THE HOLE REGION MAR	RKED BY
YELLOW SQUARE IN SEM. TWO BRIGHT SPOTS SHOW THE LUMINESCENCE FROM THE TWO NANOCL	
(RIGHT) PHOTOLUMINESCENCE SPECTRA FROM THE NANOCLUSTERS SHOWING THE CHARACTERIS'	TIC
SPECTRUM OF UPCONVERSION NANOPARTICLES.	4
FIGURE 3. MICROSCOPE IMAGES OF UCNP TREATED BLADDER CANCER CELL. (A) BRIGHT FIELD MICROGF	
UPCONVERTED FLUORESCENCE MICROGRAPH OBTAINED BY THE SCANNING CONFOCAL MICROSCO	,
980 NM LASER, AND (C) COMBINED IMAGE OF BRIGHT FIELD AND UPCONVERTED FLUORESCENCE	5

1. Acquisition of Equipment

The main piece of equipment is the Renishaw Confocal Raman Microscope system. It is comprised of a few major components: Leica DM microscope, inVia spectrometer, two CCD arrays (one for the visible and another for the near-infrared) and many other optics and electronics including the data acquisition software. For light sources we acquired two lasers, a argon ion laser with multiple lines in the visible and a 980 nm diode laser (from Crystalaser) for infrared excitation. Both lasers provide high beam quality suitable for confocal imaging. We have also acquired an additional photomultiplier tube (PMT) detector from Hamamatsu. While the CCD arrays provide spectral information in a single shot, it cannot perform time-resolved spectroscopy. PMT on the other have is a point detector and thus requires scanning to obtain full spectrum. However, it has a response time on the order of a few nanosecond and is thus suitable for time-resolved spectroscopy. Another requirement for time-resolved spectroscopy is a pulsed light source. We acquired two cw lasers because they are better suited for steady-state Raman and photoluminescence spectroscopy. We additionally acquired a fast electronic shutter from FastPulse Technology, Inc. The rise and fall time of the shutter is ~10 ns, well suited for time-resolved spectroscopy with PMT that exhibits similar response time.

Upon receiving the award, we immediately started the discussion with various vendors for performance specifications and compatibility. By February 2015, all discussions and negotiations were completed and the purchase orders were placed by March 2015. The main pieces were all delivered by May 2015. The engineers from Renishaw installed the equipment on May 27, 2015. At this time, PMT was not yet delivered and the equipment was tested for steady-state confocal Raman and photoluminescence spectroscopy only. On Aug. 25, Renishaw engineered visited again for tuning and troubleshooting and additional training for users. At this time, PMT was properly installed as well. With this, the acquisition and installation of the proposed nanoscale optical imaging and spectroscopy system was completed. The fully installed system is shown in Figure 1.

In addition, we note that this equipment was placed in a newly renovated laboratory. The University of Colorado provided ~\$100K renovation fund to provide a ultralow noise environment for this equipment. The renovation was started a year earlier and included new dust-free floor, hepa filter and pressurized air handling system for clean environment, air and water systems, ultralow vibrational noise optical table with active damping control, lab benches and storages. The renovation is now complete, except for the enclosure system which will be installed on top of the optical bench to completely shield the experiments from acoustic noise. The enclosure system is expected to be delivered and installed shortly.




Figure 1. Photographs of fully installed nanoscale optical imaging and spectroscopy system. (a) shows microscope with enclosure (left) and spectrometer (right). At the end of the spectrometer, three detectors (two CCD arrays and a PMT) are installed. (b) shows the two lasers: Ar ion laser and 980 nm diode laser.

2. Preliminary Results from the Newly Acquired Equipment

To demonstrate the capability of the new equipment, we conducted nanocluster photoluminescence spectroscopy on upconversion nanoparticle (UCNP) clusters. The NaYF₄:Yb³⁺,Er³⁺ UCNPs were synthesized using the co-precipitation method.¹⁻⁴ Briefly, a precursor total of 0.0193 mol of lanthanide chlorides (YCl₃, YbCl₃, and ErCl₃) were dissolved in 36 mL 1-octadecene and 6 mL oleic acid at 160 °C for 10 min then cooled to room temperature. NH₄F and NaOH were separately dissolved in methanol, added to lanthanide mixture, and vigorously stirred for 30 min. Then, the mixture was heated to 100 °C and degassed for 20 min. Finally, the mixture was heated up to 310 °C under Argon protection for 1 hr. Once the UCNP mixture was cooled to room temperature, it was washed through centrifugation with water and ethanol. We then spin coated the colloidal solution on a patterned substrate. Figure 2 shows the SEM image of a patterned substrate and two UCNP clusters, as marked by yellow circles. These nanoclusters are prepared by spin-coating the colloidal nanoparticle solutions with extremely dilute concentrations. The patterned substrate composed of a periodic array of 5 um diameter holes on silver film was fabricated by the conventional photolithography. The purpose of patterned substrate is to locate the same nanoclusters in optical microscopes as well as in the scanning electron microscope. Once the SEM images are obtained and thus the precise geometry of the nanocluster is identified, the sample is then transferred to the Raman microscope. The

bright field image showed the holes and we zoom in the hole identified by SEM. We then conduct a confocal scanning of tightly focused 980 nm laser beam while taking photoluminescence spectrum at each pixel. The resulting PL map is shown in the middle panel of Figure 2. It shows two bright spots at the upper left corner and lower middle part, which coincide with the locations of the two nanoclusters of upconversion nanoparticles. Furthermore, the photoluminescence spectrum taken at each pixel clearly shows the signature of upconversion nanoparticle, exhibiting two peaks in the green and one peak in the red. These images clearly show the capability of the new microscope. This technique will be expanded to use white light source to take extinction or scattering spectrum from the gold nanoclusters being self-assembled in the two previous tasks.




Figure 2. (Left) SEM image of a 5um size hole in a silver film and two upconversion nanoclusters in it, marked by yellow circles. (Middle) Photoluminescence map of the hole region marked by yellow square in SEM. Two bright spots show the luminescence from the two nanoclusters. (Right) Photoluminescence spectra from the nanoclusters showing the characteristic spectrum of upconversion nanoparticles.

Extending the previous work on characterizing individual nanoparticle or nanocluster, we conducted bioimaging experiments. In these experiments, the UCNPs were first treated for bioconjugation. The bioconjugation is comprised of two step processes. First the UCNP surface was modified with amphiphilic polymer, poly(maleic anhydride-*alt*-octadecene) (PMAO). For this, 80 mg of PMAO was dissolved in 1 mL of chloroform and 54 μL of methoxyethylamine (EtOMe-NH₂) was added to the mixture and stirred for 1 hr. 40mg of UCNPs in toluene were transferred to chloroform via centrifugation. The UCNPs in chloroform were then added to PMAO-EtOMe mixture and stirred for 2 hrs. Afterwards, UCNP-PMAO-EtOMe in chloroform was transferred to a 100 mL round bottom flask, vacuum dried overnight, and redispersed in water through stirring and sonication. The particles were then washed via centrifugation to remove excess polymer. After PAMO coating is completed, C-225, an antibody to epidermal growth factor receptor, was attached as follows. 0.5 mL of PMAO-EtOMe coated UCNPs were added to 0.5 mL of 0.1 M MES buffer. The solution was then combined with EDAC and incubated in room temperature. The mixture was then washed via centrifugation. 0.5 mL of PBS containing 2 mg/mL C-225 was added to above UCNP solution (roughly 10 mg/mL) and nutated

overnight at 4 °C. The conjugated UCNPs were centrifuged at 12 kG for 5 min and re-suspended in 0.05% Tween20.

After the bioconjugation is completed, we conducted cell binding assay as follows. Human bladder cancer cells HTB9 (American Type Culture Collection, Manassas, VA, USA) and primary bladder culture were grown in OptiMEM (Eibco, Grand Island, NY, USA) with 3.75% fetal bovine serum (Gemini, Woodland, CA, USA) and 100 units streptomycin-penicillin sulphate (Life Technologies, Grand Island, NY, USA) in chamber slides. Cells were incubated at 37 °C with 5% CO₂. On the next day, cells were incubated with C-225 antibody conjugated UCNPs for two hours, and then the medium was removed and washed three times with PBS. The cells were then fixed in 2% formalin and probed with DyLight labeled secondary antibody against human IgG (Jackson Lab). Monitoring and imaging the binding of C-225 antibody labeled with DyLight labeled secondary antibody with HTB9 bladder cancer cell was conducted with a fluorescent microscope (Nikon Eclipse TE2000-S).

Finally, the UCNP treated cells were imaged by the Raman microscope system acquired in this grant. Figure 3 shows bright field optical micrograph, upconverted fluorescence micrograph and the combined image. As shown, the UCNPs are attached to cell membrane and exhibit bright upconverted fluorescence under 980 nm infrared excitation. It should be noted that the background is complete dark and absent of any autofluorescence, which is ubiquitous in conventional fluorescence microscopy using high energy ultraviolet light. Thus the UCNP imaging produces high contrast images with cell targeting functionality provided by the bioconjugation.




Figure 3. Microscope images of UCNP treated bladder cancer cell. (a) Bright field micrograph, (b) Upconverted fluorescence micrograph obtained by the scanning confocal microscope using 980 nm laser, and (c) Combined image of bright field and upconverted fluorescence.

3. Impact on the Research and Education Programs

Since we just completed the full installation of the equipment, we do not yet have any products to report such as academic publications, conference presentations and students graduated. However, the new capability provided by this equipment will have a long lasting impact on broad research and education programs at the University of Colorado Boulder. Many of the DoD programs described in the proposal are continuing and will benefit directly from this new capability. Many other programs funded by other government agencies including National Institute of Health and Department of Energy will also be impacted directly. The University of Colorado Boulder campus has an outstanding optics and materials science program with more

than 70 faculty, all of whom have active research programs funded by the DoD and other sponsors. By providing a critical capability with wide applications, this equipment is expected to make a far-reaching and lasting impact on research on campus. Furthermore, the research activities naturally provide excellent opportunities for training graduate and undergraduate students as well as postdoctoral scholars, building high quality workforce to the industry relevant to the missions of DoD agencies and others.

4. Bibliography

- 1. Li, Z. & Zhang, Y. An efficient and user-friendly method for the synthesis of hexagonal-phase NaYF₄:Yb,Er/Tm nanocrystals with controllable shape and upconversion fluorescence. *Nanotechnol.* **19**, 345606 (2008).
- 2. Lu, D. *et al.* Plasmon Enhancement Mechanism for the Upconversion Processes in NaYF₄:Yb³⁺,Er³⁺ Nanoparticles: Maxwell versus Förster. *ACS Nano* **8**, 7780–7792 (2014).
- 3. He, L. *et al.* Experimental and theoretical photoluminescence studies in nucleic acid assembled gold-upconverting nanoparticle clusters. *Nanoscale* **7**, 17254–17260 (2015).
- 4. Li, Z., Park, W., Zorzetto, G., Lemaire, J. S. & Summers, C. J. Synthesis Protocols for δ-Doped NaYF₄: Yb, Er. *Chem. Mater.* **26**, 1770–1778 (2014).
- 5. Cho, S. K. *et al.* Functionalized Gold Nanorods for Thermal Ablation Treatment of Bladder Cancer. *J. Biomed. Nanotechnol.* **10,** 1267–1276 (2014).